## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
I FADED TEXT OR DRAWING
D BLURRED OR ILLEGIBLE TEXT OR DRAWING
CI SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
Lines or marks on original document
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	27192	(redundan\$5 with check\$5) or checksum\$5	USPAT;	2004/09/22 13:01
]			US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	40334	"OSI " or (seven with layer\$5) or	USPAT;	2004/09/22 13:02
	,	(protocol\$5 with layer\$5)	US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	815	((redundan\$5 with check\$5) or checksum\$5 )	USPAT;	2004/09/22 13:03
		same ("OSI " or (seven with layer\$5) or	US-PGPUB;	
		(protocol\$5 with layer\$5))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	597249	intrus\$5 or virus or hack\$5 or crack\$5	USPAT;	2004/09/22 13:18
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
_			IBM_TDB	
5	2	((Loudinadii+o     1011   0110011+0   01	USPAT;	2004/09/22 13:03
		) same ("OSI " or (seven with layer\$5) or	US-PGPUB;	
		(protocol\$5 with layer\$5))) same (intrus\$5	EPO; JPO;	
		or virus or hack\$5 or crack\$5)	DERWENT;	
_			IBM_TDB	
6	38	1 , , (=================================	USPAT;	2004/09/22 13:37
		) same ("OSI " or (seven with layer\$5) or	US-PGPUB;	
		(protocol\$5 with layer\$5))) and (intrus\$5	EPO; JPO;	
		or virus or hack\$5 or crack\$5) and	DERWENT;	
	_	@ad<20000216	IBM_TDB	
7	3		USPAT	2004/09/22 13:11
8	62	5708702.URPN.	USPAT	2004/09/22 13:13

	η			
9	92	("5006847"	USPAT;	2004/09/22 13:16
		"6247041"	US-PGPUB;	
		"4371949"	EPO; JPO;	
		"4375678"	DERWENT;	
		"4531212"	IBM_TDB	
		"4602347"	_	
		"4839852"		
		"4860351"		~
		"4903009"		
		"4937738"		
		"4949074"		
		"4952911"		
		"4967183"		
		"4992075"		
		"5270972"		
		"5359358"		
		"5394482"		
		"5452472"		
		"5463210"		
		"5615369"		
		"5623600"		
		"5701313"		
		"5805647"		
	1	"5805844"		
		"5903508"		
		"5918018"		
		"5991818"		
		"6041012"		
		"6044477"		
		"6047391"		
		"6047124"		-
<b>\</b>				
		"6059450"		
		"6059450"		
		"6085247" ·		
		"6101311"		
		"6131163"		
		"6164550"		
		"6219707"		
1		"6226224"		
		"6219707"		
	-	"6226224"		
		"6247058"		
		"6252544"		
		"6287765"		
		"6289023"		
		"6301668"		
		"6362009"		
		"6363477"		
		"6397379"		
		"6408329").pn.		

	107	/#C100010H	HODAM	1 2 2 2 4 4 2 2 4 2 2 2 2 2 2 2 2 2 2 2
10	107	("6429812"	USPAT;	2004/09/22 13:16
		"6473336"	US-PGPUB;	
		"6483432"	EPO; JPO;	
		"6606261"	DERWENT;	
1		"6675218"	IBM_TDB	
		"5347524"		
		"4479113"		
		"5732381"		
-		"5903899"		
		"6205528"		
		"4531228"		
		"4773041"		
		"5361237"		
	0	"5392432"	-	
		"5522072"		
		"5530870"		
		"5559610"		
		"5568233"		
		"5638798"		
		"5644709"		
	*	"5652885"		
		"5950221"		
		"6005628"		
		"6047125"		
		"6058457"		
		"6075345"	0	
		"6175916"		
	1	"6249848"		
		"4248316"		
		"4337481"		
		"4410939"		
		"4419743"		
		"4429993"		
	*	"4510571"		
]		"4587579"		
		"4605926"		
		"4622556"		
-)(-		"4823307"		
		"4868822"		
		"4913146"		
		"4928225"		
		"4968338"		· 0
		"4989251"		
		"5195093"		
		"5206933"		
		"5233589" "5241567"		
1		"5241567" "5257335"		
		"5257325"		
		"5284225"		
		"5294986").pn.		

11	100	("5295258"	USPAT;	2004/09/22 13:17
		"5302941"	US-PGPUB;	
		"5317746"	EPO; JPO;	
		"5331420"	DERWENT;	
		"5353419"	IBM_TDB	
		"5355192"		
		"5355501"		
		"5356217"		
		"5384621"	l l	
		"5408650"		
		"5448727"		
		"5452440"		
		"5473635"		
		"5485613"		
		"5488494"		
		"5509119"		
		"5519851"		
		"5533018"		
		"5550443"		
		"5581790"		
		"5590313"	ľ	
		"5630074"		
7.7		"5644788"		
		"5652883"		
		"5654667"		
		"5712937"		
		"5745672"		
1		"5761454"		
		"5761461"		
		"5761462"		
		"5774506"		
		"5786629"		
ŀ		"5818443"		
		"5828209"		
		"5829034"		
		"5835964"		
		5635964   "5835764"		
		"5845280"		
		"5847659"		
		3647639   "5852569"		
.		"5860109 <b>"</b>		
ļ		"5874335"		
		"5909579"		
		"5911037"		
		"5968197"		
		"5991893"		
1		"5991895"		
		"6009065"		
İ		"6014709"		
		"6014709"   "6014690").pn.		
		1 0014030 ).bu.	1	i

12	100	("6016500"	USPAT;	2004/09/22 13:17
		"6021469"	US-PGPUB;	
		"6038643"	EPO; JPO;	
		"6047323"	DERWENT;	
		"6049845"	IBM_TDB	
		"6052760"	_	
		"6050192"		
	ļ	"6055605"		
		"6065064"		
		"6073251"		
		"6078529"		
	-	"6091785"		
		"6094664"		
		"6101580"		
		"6108246"		
		"6119594"		1
		"6125439"		
		"6134628"		1
		0134028   "6144578"		
		"6151639"		1
		"6182193"		•
		"6182964"	, , , , ,	
		"6185654"		-
		"6189046"		
		"6192418"		
		"6192517"		
		"6222820"		
		"6222820"		
		"6237009"		
		"6243716"		
		"6243864"	*	
		"6247026"		
		"6247144"		
		"3696353"		
		"3686658"		
*		"3646452"		
		"3906342"		
		"3891976"		
		"3864638"		
		"3803599"	,	
		"4001819"		
		"4023564"		
		"4034355"		
		"4038540"		
		"4163265"		
	1	"4071821"		
-	1	"4101817"		
		"4245301"		
		"4244652"		1
L	<u> </u>	"4247910").pn.		

13	123	("4250384"		USPAT;	2004/09/22	13:17
		"4252024"		US-PGPUB;		·
		"4258310"		EPO; JPO;	<b>†</b>	
		"4259736"		DERWENT;		
		"4266292"		IBM TDB		
		"4267589"				
		"4274095"	,			
		"4275459"				
		"4275742"				
		"4280067"				
		"4282078"				
		"4287480"				
		"4288747"				
		"4290126"				
		"4291299"		-		
		"4295171"		}		
		"4295165"			ļ	
		"4294536"				
		"4301518"				
		"4302822"				
		"4303953"				
		"4306300"				
		"4314147"				
		"4314277"				
		"4317632"				
	-	"4319349"				
		"4321489"				
		"4321682"				
		"4322804"				
		"4324218"				
		4324216   "4330846"				
		"4332980"				
		"4334273"				
	ļ.	"43354273				
		4333426   "4338680"				
		"4339044"				
		"4342922"				
						•
		"4343021"				
		"4344146" "4345280"				
		"4345280" "4345561"				
		"4346989" "4347471"				
	]					
		"4348550" "4348750"		1		
		"4348759"				
		"4350057"			1	
		"4353032"				
		"4356389"				
		"4361027"				
	1	"4361898").pn.		1	t	

"4365894" "4366554" "4366559" "4367498" "4368482" "4369501" "4377866" "4377781" "4381540" "4381447"	
"4366554"  "4366559"  "4367498"  "4368482"  "4369501"  "4377866"  "4377781"  "4381540"  "4381447"	
"4366559" "4367498" "4368482" "4369501" "4377866" "4377781" "4381540" "4381447"	
"4367498" "4368482" "4369501" "43776930" "43777866" "4377781" "4381540" "4381447"	
"4368482" "4369501" "4376930" "4377866" "4377781" "4381540" "4381447"	
"4369501" "4376930" "4377866" "4377781" "4381540" "4381447"	
"4376930" "4377866" "4377781" "4381540" "4381447"	
"4377866" "4377781" "4381540" "4381447"	
"4377781" "4381540" "4381447"	
"4381447"	
"4381447"	
	- 1
"4383296"	
"4383250"	
"4386592"	
"4388155"	
"4388595"	
"4389623"	
"4390404"	
"4390788"	
"4398061"	i
"4400838"	
"4402063"	1
"4402057"	
"4403302"	1
"4404542"	
"4404065"	
"4405983"	
"4409676"	
"4409674"	
"4409593"	İ
"4410941"	
"4413226"	
"4413505"	- 1
"4415844"	1
"4423498"	
"4425430"	
"4429382"	
"4432375"	
"4434498"	
"4434403"	
"4434351"	
"4435678"	
"4437173"	
"4437173"	
"4441162"	
"4441070"	
"4445214"	
"4445200"	
"4445200" pn.	

15	570	((("5006847"	USPAT;	2004/09/22 13:36
		"6247041"	US-PGPUB;	
		"4371949"	EPO; JPO;	
		"4375678"	DERWENT;	
		"4531212"	IBM_TDB	
		"4602347"	_	,
		"4839852"		
		"4860351"		
		"4903009"		
		"4937738"		i
		"4949074"		
		"4952911"		
		"4967183"		
		"4992075"		
		"5270972"		
		"5359358"		
		"5394482"		
		"5452472"		
		"5463210"		
		"5615369"		
		"5623600"		
		"5701313"		
		"5805647"		
		"5805844"		
		"5903508"		
		"5918018"		
		"5991818"		
·		"6041012"		
		"6044477"		
		"6047391"	*	
		"6047124"		
		"6059450"		
		"6059450"		
		"6085247"		•
		"6101311"		
		"6131163"		
		"6164550"		
		"6219707"		
,		"6219707 "6226224"		
		"6219707"		
		"6226224"		
		"6247058" "6250544"		
	0	"6252544"		
		"6287765"		
		"6289023"		
		"6301668"		
		"6362009"		
		"6363477"		
		"6397379"		
		"6408329").pn.) or (("6429812"		
		"6473336"		
		"6483432"		
		"6606261"		
		"6675218"		
1		"5347524"		
1		"4479113"		
]		"5732381"		
]		"5903899"		
		"6205528"		
		"4531228"		
		"4773041"		
		"5361237"		
		"5392432"		
		"5522072"		
		"5530870"		
		"5559610"		
		"5568233"		
		"5638798"		
		"5644709"		
	}	"5652885"		
		"5950221"		
•		"6005628"		
Coarch II	h a sa	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
Search His	cory 9	"6047125" 2205845740:09 PM Page 8		
::\APPS\EA	ST\Worksp	agal/pp34 meb		
		"6175916"		
0 \	I	"	I	1

ố l	4	(((("5006847"	USPAT;	2004/09/22 13:1
·		"6247041"	US-PGPUB;	
		"4371949"	EPO; JPO;	
		"4375678"	DERWENT;	
		"4531212"	IBM_TDB	
		"4602347"	_	
		"4839852"		
		"4860351"		
		"4903009"		
		"4937738"		
		"4949074"		-
		"4952911"		
		"4967183"	Ì	
		"4992075"		
		1	,	
		"5270972"		
		"5359358"		
		"5394482"		
		"5452472"		
		"5463210"		
				i
l		"5615369"		
		"5623600"		
		"5701313"		
		"5805647"		
		"5805844"	-	
		"5903508"	1	
		"5918018"		
	,	"5991818"		
1	1 '	"6041012"		
		"6044477"		
		"6047391"	1	
			1	
		"6047124"	1	
		"6059450"	1	
		"6059450"	1	
		"6085247"	1	*
		"6101311"	1	
		"6131163"		
	1	"6164550"		
		"6219707"		
		"6226224"		
		"6219707"		
		"6226224"		
		"6247058"		
		"6252544"		
			1	
		"6287765"	-	
	1	"6289023"		
		"6301668"		
		"6362009"		
		"6363477"		
		"6397379"		
		"6408329").pn.) or (("6429812"		
		"6473336"		
		"6483432"		
		"6606261"		
		-"6675218"		i ( e
		"5347524"		
		"4479113"		
		"5732381"		
		"5903899"		
	ľ	"6205528"		
		"4531228"		
,	1	"4773041"		
	1	"5361237"		
		"5392432"		
	1	"5522072"		
		"5530870"		
	ŀ			
		"5559610"		
	1	"5568233"		
		"5638798"		1
	1	"5644709"		1
		"5652885"		
	1	"5950221"		
	1	"6005628"	1	
	1	72,0471,25" 22,05845;40:09 PM Page 9		
rah II		477704 1:40:09 PM PAGA 9	1	4
arch His	COL A	14605845770.00 In 1490 3		1
arch His	ST\Worksn	4069/494949heb		

18					
19	17	1	5623600.URPN.	USPAT	2004/09/22 13:21
19   16   (intrus\$5 with detect\$5 with protocol) and   (intrus\$5 with detect\$5 with protocol) and   (intrus\$5 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 with protocol) and   (intrus\$6 with detect\$5 or alert\$5 or crack\$5   (intrus\$6 with detect\$5 or alert\$6 with protocol or protocol or osl or layer or stack or hierach\$5 or level\$5   (intrus\$6 with detect\$6 or step\$5 or task\$5 or step\$6 with protocol or protocol or osl or layer or stack or hierach\$5 or step\$5 or task\$5 or step\$6 with grade   (intrus\$6 with detect\$6 with detect\$6 with detect\$6 with detect\$6 with detect\$6 with grade   (intrus\$6 with detect\$6 with protocol or stack or hierach\$6 with detect\$6 with detect\$6 with grade   (intrus\$6 wit	18	147	intrus\$5 with detect\$5 with protocol		2004/09/22 13:37
19				,	
19					
15					
ead<20000216	10	16	(intrue\$5 with dotect\$5 with protocol) and		2004/09/22 13:37
EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DEAWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; DERWENT; IEM TOS USFAT; US-FOGUB; EPO; JPO; USFAT; USFAT; USFAT; USFAT; USFAT; U		10			2004/03/22 13.37
- 301187 multiplex\$					
188 TOB   198 TOB   2004/09/22 12:59		!			
- 3301887 multiplex\$   USPAT; US-PGUB; EFO, JPO; DERMENT; IBM TDB   SEAT; US-PGUB; EFO, JPO; DERMENT; IBM TDB					
US-PGPUB; EFO; JPO; DERWENT; IBM TDB USFAT; US-PGPUB; EFO; JPO;	_	301187	multiplex\$		2004/09/22 12:59
DERWENT;   IBM TDB   USPAT;   USP-CPUB;   EPG; JPG;   DERWENT;   IBM TDB   USPAT;			•	US-PGPUB;	
TSM TDB   USPAT: US-ECPUB; EPG; JPG; DERWENT; IEM TDB   USPAT: US					
-			·		
US-PGPUB; EPG; JPG; DERWENT; IEM TOB USPAT; US-PGPUB; EPG; JPG; JPG; JPG; DERWENT; IEM TOB USPAT; US-PGPUB; EPG; JPG; JPG; JPG; DERWENT; IEM TOB USPAT; US-PGPUB; EPG; JPG; JPG; JPG; JPG; JPG; JPG; JPG; J					
4381526   detect\$5 or alert\$5 or ident\$6   SEO, JPO, DERNENT; THM TDB USPAT; US-FGPUB; EPO, JPO, DERNENT; THM TDB USPAT; US-FGPUB; THM TDB USPAT; US-FGPUB; THM TDB USPAT; US-FGPUB; THM TDB USPAT;	-	596928	intrus\$5 or virus or hack\$5 or crack\$5		2004/09/22 13:02
- 4381526 detect\$5 or alert\$5 or ident\$6  - 4381526 detect\$5 or alert\$5 or ident\$6  - 5450855 protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5  - 4971758 rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5  - 4971758 kernel or main or control or master or server  - 6953144 kernel or main or control or master or server  - 4823054 memory or sav\$5 or keep\$5 or storag\$5 or storag\$5 or stor\$5  - 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or stor\$5  - 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or block\$5  - 1067971 (intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6.5) with multiplex\$6 (intrus\$5 or virus or hack\$5 or crack\$5) with multiplex\$6 (intrus\$5 or virus or hack\$5 or crack\$5) with multiplex\$6 (intrus\$5 or virus or hack\$5 or crack\$5 or storag\$5 or					
- 4381526 detect\$5 or alert\$5 or ident\$6  - 4580855 protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5  - 4971758 protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5  - 4971758 rul\$5 or procedur\$5 or step\$5 or task\$5 or OberMehn; IBM TDB USPAT; US-PGPUB; EPO, JPO, DERMENN; IBM TDB USPAT;		~	×		
- 4381526 detect\$5 or alert\$5 or ident\$6  - 5450855 protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5  - 4971758 protocol or protocal or OSI or layer or defin\$5  - 4971758 rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5  - 6953144 kernel or main or control or master or server  - 6953144 kernel or main or control or master or server  - 4823054 memory or sav\$5 or keep\$5 or storag\$5 or stor\$5  - 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 1067971 (intrus\$5 or virus or hack\$5 or crack\$5) with (etect\$\$5 or stor\$\$5 or task\$5 or crack\$5) with (gentocol or protocal or OSI or layer or stack or hierach\$5 or level\$\$5 with multiplex\$ (kernel or main or control or master or storag\$5 or storag\$5 or storag\$5 or storag\$5 or storag\$5 or storag\$5 or storag\$5 or storag\$5 or storag\$5 or crack\$5					
US-FGFUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-FGFUB; EPO; JPO; DERWENT TO USPAT; US-PGFUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-FGFUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT	<u> </u>	1391526	dotoct\$5 or alort\$5 or ident\$6		2004/09/20 11:33
EPO; JPO; DERWENT; IBM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TOB USPAT; US-PGPUB;		1301320	accepta of aletcha of inclina		5004/03/50 TT:33
5450855   protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5   USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; U				· ·	
5450855   protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPABT; USPAT; USPAT; USPAT; USPAT; USPABT; USPAT; USPABT; USPABBT; USPABT; USPABT; USPABT; USPABT; USPABBT;					
S450855   protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5   USPAT; USPEUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT; USPEUB; USPAT;				1	
Stack or hierach\$5 or level\$5	-	5450855	protocol or protocal or OSI or layer or		2004/09/20 11:34
- 4971758 rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5 - 6953144 kernel or main or control or master or server - 6953144 kernel or server - 695314 kernel or server - 695314 kernel or server - 695314 kerne				· ·	
A971758					
4971758   rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5   USPAT; US-PGPUB; EPC; JPC; DERWENT; IBM TDB U					
defin\$5					
EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM	-	4971758		·	2004/09/20 11:02
- 6953144 kernel or main or control or master or server  - 4823054 memory or sav\$5 or keep\$5 or storag\$5 or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB US			defin\$5		
18M TDB   USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM TDB   USPAT; US-PGPUB; EFO; JPO; DERWENT; ISM TDB   USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; USPAT; US-PGPUB; USPAT;					
- 6953144 kernel or main or control or master or server  4823054 memory or sav\$5 or keep\$5 or storag\$5 or storag\$5 or storag\$5 or stor\$5  - 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 5 (intrus\$5 or virus or hack\$5 or crack\$5) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$, with (memory or sav\$5 or keep\$5 or storag\$5 or task\$5 or data or stream\$5 or level\$5) with multiplex\$, lBM TDB uspAT; us-PGPUB; eFO; JPO; DERWENT; IBM TDB uspAT; us-PGPUB; lBM TDB uspAT; us-PGPUB;				· ·	
Server	64	6053144	beared on main on gentral on master or		2004/00/20 11.34
### ##################################	_	0933144		i ·	2004/09/20 11.34
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			Server		
TBM_TDB			` ,		
Stor\$5					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;	-	4823054	memory or sav\$5 or keep\$5 or storag\$5 or	USPAT;	2004/09/20 11:34
- 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 5 (intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$ - 1067971 (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5) with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or data or stream\$5 or block\$5] with packet\$5 or fram\$5 or dat			stor\$5		
- 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 5 (intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6 ) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$  - 1067971 (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or data or stream\$5 or block\$5) with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5 or block\$5] with por data or stream\$5					
- 4672510 recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5)  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6369078 packet\$5 or fram\$5 or data or stream\$5 or data or stream\$5 or block\$5]  - 6369078 packet\$5 p					
Or associat\$5					0004/00/00 77 77
- 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 5 (intrus\$5 or virus or hack\$5 or crack\$5)	-	4672510			2004/09/20 11:03
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;			or associates	1	
- 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5  - 5 (intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$  - 1067971 (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or block\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5] with (packet\$5 or fram\$5 or defin\$5] with (packet\$5 or fram\$5 or defin\$5] with (packet\$5 or fram\$5 or defin\$5] with (packet\$5 or fram\$5 or defin\$5] with (packet\$5] with (packet					
- 6363578 packet\$5 or fram\$5 or data or stream\$5 or block\$5    Comparison of the com		1			
block\$5    block\$5	_	6363578	packet\$5 or fram\$5 or data or stream\$5 or		2004/09/20 11:34
- S (intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$ (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with (people is poor in the packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5) with (packet\$5] with (packet					
DERWENT; IBM_TDB USPAT; With (detect\$5 or alert\$5 or ident\$6) With (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$  (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5) with  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; DERWENT; IBM_T					
(intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$ (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with  EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO;					
with (detect\$5 or alert\$5 or ident\$6 ) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$  (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5) with multiplex\$  1067971 (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or block\$5) with  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; data or stream\$5 or block\$5) with  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	-	5		1	2004/09/20 11:13
or stack or hierach\$5 or level\$5) with multiplex\$  (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5 or block\$5) with  DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB; EPO; JPO;				1	
multiplex\$ (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5) with    DEM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   DERWENT;				1	
- 1067971 (kernel or main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or defin\$5) with (packet\$5) with (packet\$5) with (packet\$5) with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (packet\$5] with (pac				1	
server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)  - 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or US-PGPUB; and the procedur\$5 or step\$5 or task\$5 or US-PGPUB; data or stream\$5 or block\$5) with EPO; JPO;		1067071			2004/00/20 11-12
storag\$5 or stor\$5)  EPO; JPO; DERWENT; IBM_TDB  (rul\$5 or procedur\$5 or step\$5 or task\$5 USPAT; US-PGPUB; data or stream\$5 or block\$5) with  EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO;	-	100/9/1			2004/09/20 11:13
DERWENT; IBM_TDB (rul\$5 or procedur\$5 or step\$5 or task\$5 uspAT; or defin\$5) with (packet\$5 or fram\$5 or us-PGPUB; data or stream\$5 or block\$5) with EPO; JPO;					
- 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with [EPO; JPO;			Storages of Stores		
- 132852 (rul\$5 or procedur\$5 or step\$5 or task\$5 USPĀT; 2004/09/20 11:20 or defin\$5) with (packet\$5 or fram\$5 or US-PGPUB; data or stream\$5 or block\$5) with EPO; JPO;			1		
or defin\$5) with (packet\$5 or fram\$5 or US-PGPUB; data or stream\$5 or block\$5) with EPO; JPO;	_	132852	(rul\$5 or procedur\$5 or step\$5 or task\$5	-	2004/09/20 11:20
data or stream\$5 or block\$5) with EPO; JPO;					
			(recursiv\$5 or referenc\$5 or correspond\$5	DERWENT;	
or associat\$5) IBM TDB			or associat\$5)	IBM TDB	

_	3202	<pre>(intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6 ) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/20 11:23
_	25	multiplex\$ and ((kernel or main or control	IBM_TDB USPAT;	2004/09/20 11:24
		or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)) and ((rul\$5 or procedur\$5 or step\$5 or task\$5	US-PGPUB; EPO; JPO; DERWENT;	
		or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with	IBM_TDB	
		<pre>(recursiv\$5 or referenc\$5 or correspond\$5 or associat\$5)) and ((intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or</pre>		
		alert\$5 or ident\$6 ) with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5))		
_	11	<pre>(((intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6 ) with (protocol or protocal or OSI or layer</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 11:25
		or stack or hierach\$5 or level\$5) with multiplex\$) or (multiplex\$ and ((kernel or	DERWENT; IBM_TDB	
		main or control or master or server) with (memory or sav\$5 or keep\$5 or storag\$5 or stor\$5)) and ((rul\$5 or procedur\$5 or		
		step\$5 or task\$5 or defin\$5) with (packet\$5 or fram\$5 or data or stream\$5 or block\$5) with (recursiv\$5 or referenc\$5 or		
		correspond\$5 or associat\$5)) and ((intrus\$5 or virus or hack\$5 or crack\$5) with (detect\$5 or alert\$5 or ident\$6)	· ·	*
		with (protocol or protocal or OSI or layer or stack or hierach\$5 or level\$5)))) and @ad<20000216		
_	596928	intrus\$5 or virus or hack\$5 or crack\$5	USPAT; US-PGPUB;	2004/09/20 11:33
		*	EPO; JPO; DERWENT; IBM_TDB	
-	4381526	detect\$5 or alert\$5 or ident\$6	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 11:33
	5450855	protocol or protocal or OSI or layer or	DERWENT; IBM_TDB USPAT;	2004/09/20 11:34
	3430033	stack or hierach\$5 or level\$5	US-PGPUB; EPO; JPO;	2001/03/20 11.31
-	6953144	kernel or main or control or master or	DERWENT; IBM_TDB USPAT;	2004/09/20 11:35
		server	US-PGPUB; EPO; JPO; DERWENT;	
_	4823054	memory or sav\$5 or keep\$5 or storag\$5 or stor\$5	IBM_TDB USPAT; US-PGPUB;	2004/09/20 11:35
			EPO; JPO; DERWENT; IBM TDB	
_	6363578	packet\$5 or fram\$5 or data or stream\$5 or block\$5	USPĀT; US-PGPUB;	2004/09/20 11:43
	4000000		EPO; JPO; DERWENT; IBM_TDB	
_	13294423	signal\$5 or messag\$5 or send\$5 or transfer\$5 or transmit\$5 or analiz\$5 or	USPAT; US-PGPUB; EPO; JPO;	2004/09/20 11:39
		analys\$5	DERWENT; IBM_TDB_	

			HCDAM.	1 0004/00/20 11 40
_	5585625		USPAT;	2004/09/20 11:40
		four or five or six or seven	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	_
	1 .		IBM_TDB	
-	2067889	((process\$5 or interfac\$5 or connect\$5 or	USPAT;	2004/09/20 11:43
		signal\$5 or messag\$5 or send\$5 or	US-PGPUB;	
		transfer\$5 or transmit\$5 or analiz\$5 or	EPO; JPO;	
		analys\$5) with (multipl\$5 or many or	DERWENT;	
		several\$5 or three or four or five or six	IBM TDB	
		or seven)) or multiplex\$5	_	
	3202		USPAT;	2004/09/20 11:44
		with (detect\$5 or alert\$5 or ident\$6 )	US-PGPUB;	
		with (protocol or protocal or OSI or layer	EPO; JPO;	
		or stack or hierach\$5 or level\$5)	DERWENT;	
		or sedex or meracings or reverys,	IBM TDB	
_	1067971	(kernel or main or control or master or	USPAT;	2004/09/20 11:46
	100/5/1		US-PGPUB;	2004/03/20 11:40
		server) with (memory or sav\$5 or keep\$5 or		
	1	storag\$5 or stor\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001/00/00 33
_	560		USPAT;	2004/09/20 11:47
	•	block\$5) same ((intrus\$5 or virus or	US-PGPUB;	
		hack\$5 or crack\$5) with (detect\$5 or	EPO; JPO;	
		alert\$5 or ident\$6 ) with (protocol or	DERWENT;	
		protocal or OSI or layer or stack or	IBM_TDB	,
		hierach\$5 or level\$5))		
_	36	(((process\$5 or interfac\$5 or connect\$5 or	USPAT;	2004/09/20 12:49
		signal\$5 or messag\$5 or send\$5 or	US-PGPUB;	
		transfer\$5 or transmit\$5 or analiz\$5 or	EPO; JPO;	
		analys\$5) with (multipl\$5 or many or	DERWENT;	
i		several\$5 or three or four or five or six	IBM TDB	1
		or seven)) or multiplex\$5) and ((packet\$5	<del>-</del>	
-		or fram\$5 or data or stream\$5 or block\$5)		
		same ((intrus\$5 or virus or hack\$5 or		
		crack\$5) with (detect\$5 or alert\$5 or		
		ident\$6 ) with (protocol or protocal or		
i				
	İ	OSI or layer or stack or hierach\$5 or		
		level\$5))) and ((kernel or main or control		1
		or master or server) with (memory or sav\$5	İ	
		or keep\$5 or storag\$5 or stor\$5)) and	1	
		@ad<20000216		0004/00/00 10 10
-	16		USPAT	2004/09/20 12:40
-	75		USPAT	2004/09/20 12:46
-	20		USPAT;	2004/09/20 14:07
		or ("5623600") or ("5835726") or	US-PGPUB;	•
		("5884025") or ("5889943") or ("5935245")	EPO; JPO;	1
1		or ("5960170") or ("6131163")).PN.	DERWENT;	
1			IBM TDB	1
-	403	"5319776"	USPAT;	2004/09/20 12:52
1		"5559883"	US-PGPUB;	`
1		"5606668"	EPO; JPO;	-
		"5623600"	DERWENT;	¥.
	3	"5835726"	IBM TDB	
1		"5884025"	-2	
		"5889943"	1	
		"5935245"		
		"5960170" ·		
		"6131163"		
	1	0.101.100	I	<u></u>

				0004/00/00 10 50
-	315	(((("5319776") or ("5559883") or	USPAT;	2004/09/20 12:52
		("5606668") or ("5623600") or ("5835726")	US-PGPUB;	•
		or ("5884025") or ("5889943") or	EPO; JPO;	
		("5935245") or ("5960170") or	DERWENT;	
		("6131163")).PN.) or ("5319776"	IBM TDB	
		"5559883"	_	
		"5606668"		
		"5623600"		
		"5835726"		
		"5884025"		
		"5889943"		
		"5935245"		
		"5960170"		
1		"6131163")) and @ad<20000216		
	7		USPAT;	2004/09/22 13:03
_	,	("5606668") or ("5623600") or ("5835726")	US-PGPUB;	2004/03/22 13:03
			1	
		or ("5884025") or ("5889943") or	EPO; JPO;	
		("5935245") or ("5960170") or	DERWENT;	
		("6131163")).PN.) or ("5319776"	IBM_TDB	
		"5559883"		
		"5606668"		
		"5623600"		
		"5835726"		
		"5884025"		
		"5889943"		
		"5935245"		
		"5960170"		
		"6131163")) and @ad<20000216) and (OSI and		
		layer and detection and intrus\$5 and		
1		packet\$ and (kernel or memory or storage		
		or multiplex\$ or multiple or many))		
	1	6269447.URPN.	USPAT	2004/09/20 12:56
_	94	5414833.URPN.	USPAT	2004/09/20 12:57
_	0	6499107.URPN.	USPAT	2004/09/20 13:08
		6499107.URPN.	USPAT	2004/09/20 13:08
_	4	"6487666"	USPAT;	2004/09/20 14:07
	4	0107000	US-PGPUB;	2001/05/20 11.0/
			EPO; JPO;	
			DERWENT;	
1	1		IBM TDB	